The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23902

Stream : Bailey Ditch

Applicant : *Indiana Department of Transportation

Richard Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : As part of the reconstruction of State Road 2 from the Illinois state line to the

south junction of US 41, a ditch will be constructed at the southwest quadrant of the existing State Road 2 crossing and terminate at Bailey Ditch. The existing bridge over Bailey Ditch will not be replaced. Details of the project are contained

in information and plans received at the Division of Water on July 5, 2006.

Location : Beginning approximately 50 feet northwest of SR 2 and extending approximately

110 feet downstream near Lowell.

DOWNSTREAM: near Lowell, West Creek Township, Lake County NE¼, SE¼, SW¼, Section 5, T 32N, R 9W, Schneider Quadrangle

Quad Code: 4108724

UTM Coordinates: Downstream 4566477 North, 459989 East

UPSTREAM:

UTM Coordinates: Upstream 4566477 North, 459989 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23910

Stream : Mud Creek

Applicant : Rush County Drainage Board

Marvin L Rees County Surveyor

Courthouse, Room 213 101 East 2nd Street

Rushville, IN 46173-1871

Description : Approximately 5 miles of the stream will be dredged to the original bottom. An

excavator will be used for the dredging and all work will be performed from one bank of the stream. The excavated material will be deposited out of the floodway on to the Drainage Board right-of way, or on to other appropriate upland sites as needed. Details of the project are contained in information and plans received at

the Division of Water on July 10, 2006.

Location : Beginning at the County Road 725 West stream crossing and continuing

upstream for approximately 5 miles

DOWNSTREAM: near Homer, Walker Township, Rush County NE14, SW14, SE14, Section 24, T 13N, R 8E, Manilla Quadrangle

Quad Code: 3908555

UTM Coordinates: Downstream 4379517 North, 622087 East

UPSTREAM: SE14, NW14, SE14, Section 1, T 13N, R 8E

UTM Coordinates: Upstream 4384636 North, 621938 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23913

Stream : West Fork Blue River

Applicant : Plews Shadley Racher and Braun

Chris Braun

1346 North Delaware Street Indianapolis, IN 46202-2415

Description : Approximately 5,000 tons of petroleum contaminated soils will be excavated. The

100' x 115' area is a former bulk fueling station in which the AST's have been removed and all that is left are the saddles and a small berm. The contaminated soil is to be removed and transported to an approved landfill. The excavation will be backfilled with clean compacted fill. Details of the project are contained in information and plans received at the Division of Water on July 12, 2006.

Location : Along the north (right) stream bank, beginning approximately 2,000' upstream of

the South Main Street stream crossing and continuing upstream approximately

115'

at Salem, Washington Township, Washington County

NE14, NE14, NW14, Section 20, T 2N, R 4E, Salem Quadrangle

Quad Code: 3808651

UTM Coordinates: Downstream 4272420 North, 578378 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23917

Stream : Canary Ditch

Applicant : Franklin Christian Fellowship Church

Wade Christian

2074 Bridlewood Drive

PO Box 801

Franklin, IN 46131-7086

Description : A storm water detention pond will be constructed along the west bank of the

stream for the proposed Franklin Christian Fellowship Church located landward of the floodway. The pond will have maximum dimensions of 200' in length and 80' in width and 3:1 side slopes. The pond will be located a minimum of 60' landward of the top of bank. An existing 6" diameter PVC drain tile will be cut to allow storm water to drain into the pond from the proposed church. The other end will outlet into the stream. The outlet pipe will maintain a normal pool elevation of 754.0', NGVD. Details of the project are contained in information and plans

received at the Division of Water on July 17, 2006.

Location : Along the west bank of Canary Ditch, approximately 1500' south and 600' west of

the intersection of County Road 225E and County Road 300N

near Franklin, Franklin Township, Johnson County

S½, NW¼, Section 2, T 12N, R 4E, Greenwood Quadrangle

Quad Code: 3908651

UTM Coordinates: Downstream 4374527 North, 580648 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20491

Lake : Cedar Lake

Applicant : Doug Stronczek

1526 Getz Road

Fort Wayne, IN 46804-1614

Description : A new glacial stone seawall will be constructed across 50' of the applicant's 50'

frontage. The lakeward face of the wall will be located along the lake's

legal/average normal shoreline. A layer of pea gravel will be placed at the base of the glacial stone seawall as toe protection. In addition, a concrete sidewalk will be constructed landward of the glacial stone seawall along the entire 50' of the applicant's frontage. Details of the project are contained in information and plans

received at the Division of Water on June 29, 2006.

Location : 2045 Crampton Road

near Columbia City, Thorncreek Township, Whitley County SW¼, SW¼, SE¼, Section 2, T 32N, R 9E, Merriam Quadrangle

Quad Code: 4108534

UTM Coordinates: Downstream 4567790 North, 629680 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20501

Lake : Sylvan Lake

Applicant : Dennis Noak

306 Spring Beach Drive Rome City, IN 46784-9704

Description : A concrete seawall will be refaced with a layer of concrete across 75' of the

applicant's 75' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on July 7, 2006.

Location : 306 Spring Beach Drive, Lot 9 Oakwood Beach

near Rome City, Orange Township, Noble County

SE14, NE14, SE14, Section 9, T 35N, R 10E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4595630 North, 636055 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20506

Lake : Witmer Lake

Applicant : *Indiana Department of Natural Resources

Gregg McCollam

Division of Fish & Wildlife

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : The existing, deteriorated gravel boat ramp will be replaced with a 15' by 80'

concrete boat ramp, spanned by 5' of rip rap on both sides. The ramp will extend approximately 45' lakeward of the lake's legal shoreline and will be placed on a

rip rap base approximately 4'-6' high. A gravel mooring area measuring

approximately 12' by 12' will be placed to the west of the boat ramp. From the eastern edge of the boat ramp, a glacial stone seawall will be constructed and will

extend approximately 10' to an American Disabilities Act approved access

station. The glacial stone seawall will continue for approximately 12' east of the ADA access station. Details of the project are contained in information and plans

received at the Division of Water on July 12, 2006.

Location : Public Access Site on County Road 765 South; approximately 2100' north of

County Road 800 South and 1900' west of County Road 200 East

near Wolcottville, Johnson Township, LaGrange County

NE14, NW14, SE14, Section 32, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4599020 North, 634090 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20507

Lake : Jimmerson Lake

Applicant : *Indiana Department of Natural Resources

Gregg McCollam

Division of Fish & Wildlife

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : The existing deteriorated concrete boat ramp will be replaced with a 15' x 72'

concrete boat ramp across 15' of the applicant's frontage. The ramp will extend approximately 44' lakeward of the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 12,

2006.

Location : 500 Lane 340 Jimmerson Lake

near Nevada Mills, Jamestown Township, Steuben County

NE¼, NE¼, NE¼, Section 31, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4619921 North, 660708 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20509

Lake : Lake Wawasee

Applicant : Robert S Archer

11575 N. Crowdale Drive Syracuse, IN 46567

Description : An existing poured in place concrete seawall will be refaced across a portion of

the 100 ft frontage of the applicant on Wawasee Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2 inch rerod. The refacing will have a maximum thickness of 12 inches and will be sloped on the lakeward side. A 36 inch wide poured in place concrete walkway will be constructed on top and landward of the lakeward face of the refaced well. Details of the preject are centained in information.

face of the refaced wall. Details of the project are contained in information

received electronically at the Division of Water on July 17, 2006.

Location : 11575 North Crowdale Drive; North East side of Wawasee Lake. Near the town of

Syracuse, Indiana, in Turkey Creek Township, in Kosciusko County. Legal

Description: 007-053-148 Tract IN NE 14-34-7.20a

near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20513

Lake : Yellow Creek Lake

Applicant : Duane Etchison

8547 South 600 West Claypool, IN 46510

Description : An existing poured in place concrete seawall will be refaced across a portion of

the 30 ft frontage of the applicant on Yellow creek Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2 inch rerod. The refacing will have a maximum thickness of 12 inches and will be sloped on the lakeward side. A 36 inch wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of this project are contained in information received

electronically at the Division of Water on July 18, 2006.

Location : 8547 S 600 W, North East side of Yellow Creek Lake, Near the town of Claypool

Indidna. In Seward Township, in Koscuisko County. Legal Description:

025-071-031 Lots 15 & 16 Tuckers Park 1st Add. near Claypool, Seward Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20514

Lake : Diamond Lake

Applicant : Thomas Kenney

5545 West 850 South Claypool, IN 46510

Description : A new seawall will be constructed across 98 ft of the 98ft frontage of the

applicant along Diamond Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48 inches high and will vary uniformly in thickness from 13 inches to 30 inches from the base to the top. The lakeward face of the wall will be at the legal shoreline. *NOTE: 85 feet will be a new concrete sewall, then 12" wide retaining wall then 12 feet wide then another 12" wide retaining wall be installed for a boat ramp. To equal 98 feet. Details of the project are contained in information received

electronically at the Division of Water on July 18, 2006.

Location: 5545 W 850 S; North side of Diamond Lake. Near the town of Claypool, Indiana.

In Seward Township, in Koscuisko County. Legal Description: 025-071-048 Lot 5

Hackworth 1st ADD. to Diamond Lake.

near Claypool, Seward Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20516

Lake : Lake Wawasee

Applicant : Robert Lukemeyer

624 East Walnut Street, #43 Indianapolis, IN 46204-1669

Description : Fieldstone (glacial stone/natural stone) will be placed along 58' of the applicant's

property following the lakes legal/average waterline to prevent further erosion. The rocks will be piled approximately 18" thick by 3' along the 58' frontage. No other kind fill will be used, just rocks. Details of the project are contained in information received electronically at the Division of Water on July 19, 2006.

Location : Ogden Point on Wawasee at address 11957 North Ogden Point Road

near Syracuse, Turkey Creek Township, Kosciusko County

Section 14, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake